MINERAL SURVEY No. 3797

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

-	C.P. Wingfield	
	d	
	KNOWN AS THE	
G	len wood lode	
7	urkey Creek	Mining District,
	Trapal County, A	
	Approx. 32 , Township 1221	, Range In Uns
	eyed under instructions dated Tuly 28	
	by Jallan	U. S. Mineral Surveyor.
		o. s. pinerai surveyor.
	Claim located See location.	Natices 19
	Survey commenced 5ept 20	, 19 3/
	Survey completed Sept 24	
	Address of claimant J. E. Russ	ell AHY
		Arizona
	DATES OF AMENDED LOCATIO	ons.
	-	
6-822	**************************************	************************

Feet

Mineral Survey 3797
Glenwood lode
Beginning at Cor. No 1, identical with the location A Granite stone 10x10x24 ins. set 12 ins. in the ground with a mound of stones, chiselled x 1 G, 3797; Whence a Pine tree 10 ins. in diam. blazed and scribed x B T 1 G 3797 brs. N76°25'E 2.0 ft. A Pine tree 10 ins. in diam. blazed and scribed x B T 1 G 3797 brs. N76°08'W 28.1 ft. U.SM.M. No & brs. S71°07'E 6057.0 ft. Location a mound of stones 3x3 ft.

Thence N81°37°W Va. 14°E

300.00

To the S.C.E. a mound of stones 3x3 ft. iden. with the location.

600.00

To Cor. No. 2 iden. with the location, a Granite stone 6x6x24ins. set 12 ins. in the ground with mound of stones chiselled x 2 G, 3797: Whence a Pine tree 10 ins. in diam. blazed and scribed x B.T.2 G, 3797 brs.N43 W 31.5 ft. A Spruce tree blazed and scribed xB T 2 G 3797 brs.N78°E 17.6 ft. Location Cor. a mound of stones 2x2 ft.

Thence N8º23'E Va.14ºE

350.0

Cross road course N69°30'E & S69°30'W

750.0

To West side center, a mound of stones 3x3 ft, iden. with the location.

1500.00

To Cor. No 3 identical with the location a Granite stone 10x12x24 ins. set 12 ins. in the ground with mound of stones chiselled x 3 G, 3797; Whence an Oak tree 10 ins. in diam. blazed and scribed x B T 3 G 3797 brs. N34 30 E 20.8 ft. A Juniper 11 ins. in diam. blazed and scribed x B T 3 G 3797 brs. S33.30'W 46.9 ft. Location Cor a mound of stones 3x3 ft.

Thence S81°37'E Va 14°E

300.0 To the N.C.E, a mound of stones 3x3 ft identical with the location.

To Cor. No. 4 identical with the location, A Granite stone 6x6x24 ins. set 12 ins. in the ground with a mound of of stones, chiselled, x & G,3797; Whence a Pine tree 18 ins. in diam. blazed and scribed x B T 4 G 3797 brs. N47°W 6.7 ft. A Pine tree 12 ins. in diam. blazed and cer scribed x B T 4 G 3797, brs.N37°E. Lo E. Loc. Cor. a mound of stones 2x2 ft. . 32 O. S. Eleanters . and Title

Thence S823'W Va.14°E

460.0

Cross road course S89°E & N89°W

750.0

of location To the East side center, a mound of stones 2x2 ft, iden. with the location.

1500.00

To Cor. No L the place of begining.

ARE'A

Gotal Area Glenwood lode ---- 20.661 Acres

Lode Lines

As hear as can be determined from the present developments the vein of the location embraced in this claim extends as follows from its discovery point; Glenwood lode N8°23'E 750. ft & S8°23'W 750 ft.

LOCATION

This clain is located in the Turkey Creek Mining district approximately in section 32 Unsurveyed RIWA within the Prescott National Forest.

EXFENDITURE OF FIVE HUNDRED DOLLARS

I certify that the value of the labor and improvements made upon the location embraced in this claim by the claimant or his grantors is not less than five hundred dollars and that said improvements consist of ; Glenwood lode;

Nol, the discovery cut and tunnel the mouth of which is on the lode line 750 ft from the N.C.E.thecut 4x56x15 ft face, the tunnel 4x6x30 ft. value \$600.00.

No 2 a shaft which brs. N7º30'E 410 ft. from the S.C.E. 4x6x10 ft, caved, value \$50.00.

Total value improvements credited this lode \$650.

ADJOINING CLAIMS

This claim is bounded on all sides by U.S.Land.

INSTRUMENT

This survey was made with a light mountain Gurley transit. The courses were deflected from the meridian as determined by direct solar Observations. The distances were measured with 500 ft & 50 ft. steel tapes.

REPORT

The lode line of the location of this claim was run direct upon the ground and the several corners were established by means of offsets therefrom. All tie lines were run direct upon the ground. U.S.MM No is located on a rocky ridge Course N E & S W. A Malapai rock in place 6x2x3 ft. above the ground chiselled x U.S.M.M. No is T.C. A mon. 6 ft. base and 5 ft. high alongside. This mineral monument is on the Scookum lode, Survey 913.

U.S.Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals	s employed by Junay. I. Menut
	t in running, measuring, and marking the lines, corners, and
	l notes of the survey of the mining claim of
C. P. Wingfield	/
c. P. Mingfield known as the Glenwood	1. 1.
and showing the respective capacities in w	
	W. H. Messett, Chainman.
	, Chainman.
	, Axman.
	Flagman.
FINAL OAT	'HS OF ASSISTANTS.
w. W. W. Merrin	
and O	do solemnly swear that we assisted
Richard So (menth United St.	ates Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of	P. Wing field
known as the Glanwood	lode
	having been surveyed by said mineral surveyor and under his
	all respects, to the best of our knowledge and belief, faithfully
	andary monuments established according to law and the instruc-
tions furnished by the United States Surveyor	General for Anguna
	, Chainman.
	W.H. Merrit , Chainman.
	, Axman.
	"Flagman.
	by the above-named persons before me this 29 The
day of \(\lambda\)	over , 1921
My Commission Expires February 23, 1924	(Hookane
	January Comment
	Notary Public

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Richard L. Merrit U. S. Mineral Surveyor
/
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for find ona, dated Tuly 28, 1921, I have, in strict conformity to the laws of the
, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of
Alenwood lode
situate in JUPKEN CIPEK
Yavapaj County Anizona in Section
Apprax. 32, Township No. 12N, Range No. 1N Unsurveyed
and designated as Survey No. 3797 , as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or 415 grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
Q1 of p
Gilbard & Merch
U. S. Mineral Surveyor.
DI 1 of maxin
Subscribed and sworn to by the said Sichard.
U. S. Mineral Surveyor, before me A Notary Public
this 29th
day of Sctober , 192/
Ly Commission Expires February 23, 1924
- 1044 Motary Tublic

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

10

OFFICE OF U. S. SURVEYOR GENERAL,

	Phoenix, Arizona,	
	January 10 , 1 922.	
I II S Surveyor General for		
	District of Arizona,	
	ng transcript of the Field Notes, return and approval	
	n of	
	C. P. Wingfield	
, known as the	GLENWOOD Lode	
	, situate in Turkey Creek	
- Mining District	t, Yavapai County,	
	, in Section Approx. 32 , Township No. 121 N	
	Unsur. , and designated as Survey	
	, has been correctly copied from the originals on	
	Notes furnish such an accurate description of said	
	ted into a patent, serve fully to identify the premises,	
	erein to natural objects or permanent monuments as	
will perpetuate and fix the <i>locus</i> th	ereof.	
And I further certify that five	e hundred dollars' worth of labor has been expended	
	mining claim by claimant or his grantors, and	
	l shaft and 1 cut and tunnel, total	
#C50		
and that no portion of said labor o	or improvements has been included in the estimate of	
expenditures upon any other claim		
	hereof, filed in the U.S. Land Office at Phoenix.	
	nd in conformity with the foregoing Field Notes.	
	Frank P. Trott	
United Sta	ates Surveyor General for Arizona.	

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR

OFFICE OF U. S. SURVEYOR GENERAL

	Phoenix, Arizona,			
		January 10 , 192 2		
I, U. S. Surveyor General for	District of A	rizona.		
do hereby certify that the foregoing	and hereto attached Field Notes a	and Return of the Survey of the		
Mining Claim of				
		known as the		
situate in				
Yavapai	County,	Arizona		
in Section Approx. 32	Township No. 12½ N.	, Range No. 1 W. Unsur		
, designated as S	Survey No	3797		
executed by	Richard L. Merritt	, U. S. Mineral		
Surveyor, Sept. 20 - 2	4, 1921	, under my instructions dated		
July 28				
corrections and explanations made, an	d the said Field Notes and Return,	and the survey they describe,		
are hereby approved. The certified co	opy of the location certificate filed	by the applicant for survey is		
on file in this office and a true copy of	of said certified copy of said locati	on certificate is included and		
nade a part of the transcript of the field notes.				
	Others 150	For A		

U. S. Surveyor General for ____Arizona.